## Exhibit H

## **APPENDIX** \*\*\*

## **Claim Constructions**

Droplets, Inc. vs. Nordstrom, Inc., et al. CASE NO. 4:12-CV-03733-JST 1

2

4

6

7

9

1112

13

14

1516

17

18

19

20

21

2223

24

25

2627

28

## **Claim Constructions**

CLAIM TERM CONSTRUCTION "a software program that executes specific tasks for an end application user" (ECF No. 429) "computer program code" and "program code" have their computer program code plain meaning. However, a "web address" or "hyperlinks" cannot be "computer program code" or "program code." program code (ECF No. 429) computer program code segments embedded with "instructions for a computer to execute embedded within informational content stored informational content" (ECF No. 429) at a second of said plurality of server computers computer code that (1) retrieves and presents applications and/or information stored at remote locations across the network when selected by an end user, and (2) includes interactive link facilities for restoring a particular user's previous operating states of the application as the application is re-presented at a user's computer. An interactive link cannot be a bookmark, link cookie, shortcut, hyperlink or Internet address (URL) or use those elements to restore previous operating state. (ECF No. 749, ECF No. 801) "must refer to a particular user's prior state and particularly to modifications made to an application by the user." (ECF 792, "previous operating state" 10:20-21) "operating system, user interface, or hardware capabilities" operating environment (ECF No. 429) Preambles of claims 1 and 17 Not limiting. (ECF No. 429) presentation information for presenting an application Plain meaning. (ECF No. 429) presentational information presenting applications "presenting an interface enabling interaction with an application" (ECF No. 429) presenting the application

1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28

presenting said invoked application	
presenting of the application	
presentation client program code  presentation client	"platform independent software, running on a client computer, that can present remotely stored applications and that can transmit user input to remotely stored applications" (ECF No. 429)
"re-establishing" [a connection]	"[the connection] is established based on a previous connection and restores the previous operating state" (ECF 792, 17:16-18)
"selectively re-establishing [a connection]"	"the user is given an option of reloading or not re-loading the state information" (ECF 792, n.10)